




**RF-5090 ÜÇLÜ KOLYERİ DELME, FREZELEME VE SU  
TAHLİYE MAKİNESİ**  
**RF-5090 COPY ROUTER, TRIPLE SPINDLE DRILLING AND  
WATER SLOT ROUTER**





## **RF-5090 ÜRÜN ÖZELLİKLERİ**

- Pvc profiller üzerindeki su tahliye kanalları, kolyeri delikleri , ispanyolet yatakları , kilit yatakları gibi frezeleme işlemlerinin yapılması için tasarlanmıştır.
- Kullanılacak bütün şekiller şablonda mevcuttur.
- Takipçi sayesinde şablondaki şekiller birebir olarak profile aktarılır.
- Kolay ayarlanabilir frezeleme derinliği
- Su tahliye kanallarının uzunluğu ayarlanabilmektedir.
- Elektro-pnömatik kontrollüdür.

### **OPSİYON:**

- Alu. Profiller için soğutma sistemi

## **RF-5090 DESCRIPTION**

- It is designed for router (milling) and drilling processes as water slots, handle holes, hardware channels, lock holes etc. on the Pvc profiles.
- All forms are existing on the pattern.
- The forms on the pattern are copied exactly to the profile.
- Easily adjustable routing depth
- Length of water slot can be adjusted.
- Electro-pneumatically controlled.

### **OPTIONAL:**

- Cooling system for Alu. Profiles.

**RF-5090** TEKNİK VERİLER / *TECHNICAL INFORMATION***ELEKTRİK BİLGİLERİ**  
*ELEKTRIC DETAILS*

400 V


3L-N-PE

50-60 Hz

2.2 Kw


**HAVA BASINCI**  
*AIR PRESSURE*

6-8 Bar

**MATKAP BİLGİLERİ**  
*DRILL DIMENSIONS*

d1 : 10 mm.


d2 : 12 mm.

**FREZE ÇAKISI ÖLÇÜLERİ**  
*ROUTER DIMENSIONS*

D1 : 8 mm.

D2 : 5 mm.

L : 100 mm.

**FREZELEME KAPASİTESİ**  
*ROUTER CAPACITY*

X : 275 mm.

Y: 80 mm.


Z : 150 mm.

**İŞLENEBİLEN PROFİL ÖLÇÜLERİ**  
*PROFILE DIMENSIONS*

150 x 150 mm.

**MAKİNEİN AĞIRLIĞI**  
*MACHINE'S WEIGHT*

160 Kg.

**MAKİNEİN ÖLÇÜLERİ**  
*MACHINE'S DIMENSIONS*

H: 1700 mm

L: 610 mm

W: 770 mm